



**WESTGATE
GLOBAL**



Temporary modular hoarding – walls and site rooms

Making sites sustainable, reducing costs and shortening programme times



Why was Hoardfast created?



Traditional Methods

- Increased material and labour cost
- Unable to relocate or re-use
- Finishing required
- Waste at the end of the project
- Skip hire cost
- Not sustainable

Why was Hoardfast created?



Hoardfast

- Quick, cost-effective installation
- Reusable and easy to relocate
- No finishing required
- Minimal on-site waste
- Sustainable – 100% recyclable (uPVC panel)
- Made from 85% recycled PVC

Temporary modular hoarding solution

Internal Hoarding



Temporary modular hoarding solution



Site Rooms: Offices & Welfare



The Hoardfast Range

Hoardfast Range

Range of panel types and support options

Hoardfast comes in a range of panel types;

- uPVC
- Soundscreen (for noise reduction)
- Firescreen (60 minute fire rated)

A range of supports/weights are available;
A self-supporting modular system, panels can
be installed free-standing or floor-to-ceiling

Structural calculations are available for crowd
loading in high traffic areas




Hoardfast Range


Support options

The Hoardfast system has a range of supports depending on your project requirement; from free-standing with multiple stability options to floor-to-ceiling fix


Equal
(Free-standing)




Offset Weighted
(Free-standing)




Bolt Down
(Free-standing)



Universal
(Free-standing)



Floor-to-ceiling



Hoardfast Range




Hoardfast uPVC


- Free-standing / floor-to-ceiling
- Easy to build
- Versatile
- Reusable
- Recyclable
- Sustainable



- 50mm also available
- Height; up to 2.7m at 35mm thick; up to 5m at 50mm thick




Sustainability Promise



Hoardfast uPVC Recycling Scheme

Funds generated from the recycling of Hoardfast uPVC panels are donated to charities across the UK



BW

Location

Finsbury Avenue, London

Overview

Internal site rooms, welfare spaces and toilet cubicles

Solution

118 l/m of free-standing Hoardfast uPVC with 8 single doors



Hoardfast Range



Hoardfast Soundscreen

- Sound reduction to -34dB
- Free-standing up to 3.5m tall
- Easy to install modular system
- Reusable
- Sustainable



White steel faced; mineral wool filled
(perforated on the construction side)

- Height; up to 3.5m



Manchester Airport

Location

Manchester Airport, Terminal 2

Overview

Multiple retail fit out projects

Solution

Hoardfast Soundscreen,
free-standing with universal
mullions and weights



Hoardfast Range



Hoardfast Firescreen

- 60-minute fire-rated hoarding (EI60)
- Free-standing / floor-to-ceiling fix
- Dual purpose - thermal / acoustic properties, plus use for weathering infills
- Easy to install modular system
- Reusable
- Sustainable



White steel faced; mineral wool filled

- Height; up to 4.5m



Overbury

Location


Sixty London Wall, London

Overview

Client corridor installed to create safe passageway for clients from entrance to site offices

Solution

Hoardfast uPVC



Wates

Location


One Sherwood, Picadilly

Overview

60-minute fire-rated, site welfare and weatherproofing

Solution

Hoardfast Firescreen
floor-to-ceiling fix



Multiplex

Location

Marble Arch, London

Overview

60-minute fire-rated hoarding to create site office, welfare and entrance area, along with the added weatherproofing benefit

Solution

Hoardfast Firescreen (220l/m)
floor-to-ceiling fix



Multiplex

Location

Bankside Yard West, London

Overview

60-minute fire-rated hoarding to create site office, welfare and entrance area, along with the added weatherproofing benefit

Solution

Hoardfast Firescreen
floor-to-ceiling fix



*Panels re-used from Marble Arch project.
Total duration between both projects - over 4 years*



John Sisk

Location

Manchester

Overview

60-minute fire-rated hoarding to create site office, welfare and entrance area, along with the added weatherproofing benefit

Solution

Hoardfast Firescreen floor-to-ceiling fix



Mace

Location

40 Leadenhall, London

Overview

60-minute fire-rated hoarding to create site walkways, emergency exit routes and crane enclosures

Solution

Hoardfast Firescreen floor-to-ceiling fix



Wates

Location

Belfast, Northern Ireland

Overview

Temporary noise and thermal barrier during cladding replacement – in live working environment

Solution

Hoardfast Firescreen (400 l/m) for acoustic and thermal properties



More solutions to support your construction projects



Hoardfence

Site Perimeter Fencing



Hoardfence



Parkeray

Location


One New Change, London

Overview

Dust-tight, clean and secure
site hoarding for entrance door

Solution

Hoardfast uPVC
and Hoardfence



Flexiscreen

Weathering & Dust Screen



Mace (British Airways)

Location

Heathrow Airport, London

Overview

External screen for dust and weather protection during hangar door replacement

Solution

Flexiscreen (95m x 27m)



Meet your team...



Curt Mann

Head of Fit Out Sales

curtmann@westgateuk.co.uk
+44 (0)7384 903835



Ben Rooke

Account Manager (North)

benrooke@westgateuk.co.uk
+44 (0)7586 718827



Joshua Foord

Account Manager (South)

joshuafoord@westgateuk.co.uk
+44 (0)7586 707199



+44 (0)1785 242181 | salesteam@westgate-global.com | westgate-global.com

